#### PROJECT SUMMARY SHEET FOR MULTI-FAMILY PROJECTS

**INSTRUCTIONS:** Complete this Project Cover Sheet and the forms contained in this bundle will auto-populate. The Project Cover Sheet does not contain all the fields needed to completely populate forms. Review the forms, provide missing data. Forms not contained in the bundle can be downloaded from the CAA Portal.

PRO	OPERTY
☐Multi-Family (and Single Family Rentals) # Units	Does Owner reside at the property? $\square$ Yes $\square$ No
Property Address:	Are children under 6 at the property? $\Box$ Yes $\Box$ No
	Are children covered by MaineCare? Yes No
	Is property under abatement order?  \( \subseteq \text{Yes}  No
Applicant (Owner)	Co-Applicant (Co-Owner)
Applicant (Owner)	OO-Applicant (Oo-Owner)
Entity or Owner First Name MI Last Name	Co-Entity or Co-Owner First Name MI Last Name
Mailing Address:	Mailing Address:
Street, City, State, Zip	Street, City, State, Zip
Home Phone	Home Phone
Work Phone	Work Phone
Email	Email
COMMUNITY ACTION AGENCY (CAA/ESCROW AGENT)	LEAD REDUCTION/ABATEMENT CONTRACTOR
CAA Name	Company Name
Mailing Address	Mailing Address
Street, City, State, Zip	Street, City, State, Zip
CAA Rep Name	Phone
CAA Rep Phone	Rep Name
CAA Rep Email	Rep Phone
CAA Rep Title	Rep Email
Lead Designer Name	
Lead Designer Phone	
Lead Designer Fax	NOTES/COMMENTS
Lead Designer Email	

### PROJECT FUNDING SUMMARY

Funding Source	Total Interior	Total Exterior	Total
Federal Lead Grant	\$	\$	\$
Healthy Homes Grant	\$	\$	\$
			·
Federal Lead Additional Project Costs (Owner Obligation)	\$	\$	\$
State Lead Grant	\$	\$	\$
State Lead Owner Match	\$	\$	\$
State Lead Additional Project Costs (Owner Obligation)	\$	\$	\$
DHHS	\$	\$	\$
CONTRACT AMOUNT	\$	\$	\$
Leveraged Funds	\$	\$	\$
PROJECT TOTAL (without change orders)	\$	\$	\$

Click check boxes if there are funds. Check boxes will autopopulate.

State Lead check-boxes are on CAA document checklist page.

Project Funding					
☐ Federal Lead Grant	\$				
☐ Healthy Homes Grant	\$				
Federal Owner Obligation					
Federal Lead Total	\$				
☐ State Lead Grant	\$				
State Lead Owner Match	\$				
State Lead Owner Obligation	\$				
DHHS	\$				
State Lead Total	\$				
Leveraged Funds	\$				
State Lead Match Criteria					
☐ 10% Non-Abatement	☐ 25% Abatement ☐ Waived				
Total Owner Obligation	\$				

page.				
Agreement/Constructions Contract				
Grant Amount	\$			
Contract Amount	\$			
Contract/Agreement Date				
Interior Start Date				
Interior End Date				
Exterior Start Date				
Exterior End Date				
Change O	orders			
Federal Lead Change Order #1	\$			
Federal Lead Change Order #2	\$			
State Lead Change Order #1	\$			
State Lead Change Order #2	\$			
Final Contract Amount	\$			
FINAL PROJECT TOTAL	\$			

#### PHASE 2- MULTI-FAMILY DOCUMENT CHECKLIST

Applicant (Owner) CAA						
Property Address	Date Submitted	Date Submitted				
Program Type(s):  Graderal Lead  State Lead (N261)  State Le	ad (Z267)  Healthy Homes DHH	S				
	Document Reference	FEDERAL LEAD	STATE LEAD	DHHS		
FILE SECTION 1 (Owner)						
Recorded Declaration of Covenants and Restrictions	CAA	X	X	Χ		
FILE SECTION 2 (Invoices, Checklists, Waiver, Tenant)						
Phase 2 Billing Invoice	Appendix 1A	X	X	Χ		
Phase 2 Multi-Family Document Checklist	Appendix 1B-MF2	X	X	Χ		
Project Summary Sheet (updated)	Appendix 1	X	X	Χ		
Relocation and travel receipts	CAA	X	X	Χ		
FILE SECTION 3 (Contractor)						
Contractor Payment Request(s) including Contractor invoices	Appendix I-C	X	X	Χ		
Contractor Certificate and Release of Liens	Appendix I-B	Х	X	Χ		
Certificate of Final Inspection	Appendix Q	Х	X	Χ		
Change Order(s) (if applicable)	Appendix N	X	X	Х		
FILE SECTION 5 (Federal and State Compliance, Health	•					
DEP Notification and Clearance	DEP Form	X	X	X		
Dust Wipe Clearance Results	CAA	X	X	Χ		
Lead Paint Plus Essential Maintenance Practice Plan	Appendix R	Х	X	Χ		
Letter of Lead Hazard Reduction Compliance	Appendix P	Х	X	Х		
Occupant Protection Plan	Contractor	Х	X	Х		
HUD Quarterly Report: Supplemental Information Worksheet	Appendix R1	X				
HUD Section 3 Verification Data and CPOII Pilot Program Form		X				
Healthy Homes HRRS Assessment Report (if applicable)	CAA	X				
FILE SECTION 6 (Photos, Correspondence)						
Colored Photo(s) (in progress and completed)	CAA	X	Х	Х		
Correspondence	CAA/MHSA	X	Х	X		
CAA certifies that the originals of all documents listed are re that documents not included on this Checklist, but are requi  Program Guidance and Procedures, are maintained in the A to periodic inspection by MaineHousing.  CAA Representative Signature  CAA Representative Name	red by program regulations as referenced Applicant(s) project file at the CAA's office	l in the Mainel	Housing's <i>L</i> e	ead		

#### **CONTRACTOR CERTIFICATE AND RELEASE OF LIENS**

roject Funding:	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Hor	mes DHHS
gency (CAA):				CAA Rep Nan	ne:
					e:
Project Type		<b>—</b>		CAA Rep Pho	
Project Type.	Single-Family	☐ Multi-Family		CAA Rep Ema	ail:
Applicant (Owr	ner):		Со-Арр	olicant:	
Property:			Contra	ctor:	
	·		Contra	ct Amount:	\$
			Contra	ct Date:	
1. \$_	,	certifies/states as formand is due from and proved <i>Change Ord</i>	d payable by the	Applicant to	o the Contractor pursuant to the
2. All the	work invoiced und re are no unpaid c	er the Contract has	been performed supplies or equi	in accordar	nce with the terms thereof, and that no claims of laborers or mechanics
Apr tha	olicant from any ar	nd all claims arising	under or by virtunot pay in full the	e of this inverse amount sta	Contractor does hereby release the voiced amount; provided, however, ated in Paragraph 1 hereof, the t released.
Contractor R	epresentative Signatur	re		Date	
Contractor R	epresentative Name				
Acknowl	edged by:				
Applicant (O	wner) Signature			Date	
Co-Applicant	(Co-Owner) Signature	<b>;</b>		Date	

#### **CONTRACTOR PAYMENT REQUEST**

Project Funding: State Lead (N261) State Lead (R261) State Lead (R	C	Healthy Homes DHHS  AA Rep Name: AA Rep Title: AA Rep Phone: AA Rep Email:
Applicant (Owner):	Co-Applic	cant:
Property:	Contracto Contract Contract	Amount: \$
TYPE OF PAYMENT:	Progress %	6 of work completed as outlined in the Contract
CONTRACTOR:		
I hereby request an inspection to receive paym I certify that I have satisfactorily completed the attached.		for the amount of \$\_\text{fy this request. Cost breakdown/invoice(s)}
Contractor Representative Signature		Date
Contractor Representative Name		
LEAD DESIGNER / RISK ASSESSOR:		
with all applicable specifications and standards following amount:		or's payment request/invoice and in accordance approval of the payment to the Contractor in the
Lead Designer/Risk Assessor Signature		Date
Lead Designer/Risk Assessor Name		
OWNER:		
1	ct have been installed in nase has actually occur Contractor has perforn ntractor for the above we en explained to you and	in/on your home/property. red. ned.
Owner Signature		Date
Co-Owner Signature		Date

#### LETTER OF LEAD HAZARD REDUCTION COMPLIANCE

roject Funding: gency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead Healthy Homes	DHHS
.go.ioy (0/ ii i).			CAA Rep Name: CAA Rep Title:	
Project Type:	—————————————————————————————————————	Mark Family	CAA Rep Phone:	
Project Type.	☐ Single-Family	☐ Multi-Family	CAA Rep Email:	
Applicant (Owne	er):		Co-Applicant:	
Property:			Contractor:	
Unit #s:			Inspection Date:	
TO: Prop	erty Owner(s)			
treated as sp compliance v clearance. A these clearar HUD Guidelin containing co hazards. This to perform ar will be correct Lead-Paint H	ecified in the Devith HUD Guideling post hazard cornce criteria.  These and State of emponents withing a means that leading additional rehabited under Maine lazard Abatements.	sign Plan for the above nes and State of Main atrol work visual inspendence Maine DEP Lead Mana dwelling. In many debased paint remains ab to your home. Tho Housing's Lead Haza at Program (State Lea	referenced Inspection Date and referenced Property were for the Department of Environmental ection and dust wipe samples were an agement Rules do not require instances, interim controls will in your home and you should use components/surfaces/areas and Reduction Grant Program (Ind). A report detailing the samples were as a second to the samples of t	und to be corrected and in all Protection criteria for vere taken and found to be below a full abatement of leadbe used to mitigate lead paint bear this in mind if you decide a specified in the Design Plan Federal Lead) and/or Maine
Sincerely,				
Lead Designer	Signature		Date	
Lead Designer	Name		Lead Designe	rInspector License #

**DISCLAIMER:** THIS LETTER OF LEAD HAZARD CONTROL COMPLIANCE DOCUMENTS THAT THE LEAD HAZARD CONTROL WORK OUTLINED IN THE CONSTRUCTION CONTRACT AS WELL AS CLEARANCE SAMPLING HAVE BEEN PERFORMED, MEETING CLEARANCE LEVELS ESTABLISHED IN THE HUD GUIDELINES.

THIS LETTER **DOES NOT CONSTITUTE A LEAD-SAFE STATUS CERTIFICATE** AS DEFINED IN THE MAINE DEP LEAD MANAGEMENT REGULATIONS.

#### **CERTIFICATE OF FINAL INSPECTION**

roject Funding: gency (CAA): Project Type:		State Lead (N261)	State Lead (Z267)		Healthy Homes A Rep Name:	DHHS
		☐ Single-Family	☐ Multi-Family	CA	A Rep Title:  A Rep Phone:  A Rep Email:	
Applicant (	Owner	r):		Co-Appl	icant:	
Property:				Contrac	tor:	
1				Contrac	t Amount: \$	
				Contrac		
	provid	des an opportuni		Housing with info	rmation about h	atisfaction Survey card which nis/her experience with the
Lead De	esigner	Signature			Date	
Lead De	esigner	Name				
Ackno	owled	dged by:				
Applican	nt Signa	ature			Date	
Co-Appli	icant Si	ignature			Date	

#### LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

#### **HUD SECTION 3 VERIFICATION DATA**

Contractor Name	-				
Contractor Addre					
\$200,000 in one ye projects and/or acti	ar. Contractors or sulvities are required to o	ocontractors that rece comply with Section 3	D Lead-Based Paint Haza eive contracts in excess of regulations in the same Section 3 regulations).	of \$100,000 for Se	ction 3 covered
(Property). In add	lition, contractors mus	t complete the Contra	is HUD Section 3 Verifica actor Pollution Occurrenc o participate in the CPOI	e Insurance Incen	
1. Is your busin	ess a qualified Secti	on 3 business?	□ Yes □ No		
If Yes, Please	e indicate one of the fo	ollowing:			
☐ Business	is 51 percent or more	owned by Section 3	residents.		
residents,  ☐ Business	or within three year can provide evidence	s of first employme of a commitment to s	ersons, at least 30 perce nt with the firm were Se subcontract in excess of 2 eet the qualifications desc	ection 3 residents 25 percent of the d	i <b>.</b> )
area in which the		istance is expended	and Indian Housing; or (3 whose incomes do not early Size.		
contracts to sexpenditure-c	Section 3 businesses overed funding does rehave not been triggeren (check one)	s whenever possible not result in new emp	HUD funding hire Section eto complete covered playment, contracting or trusti-Family	projects/activities	s. If the
Contract Date	:		Contract Amount:	\$	
3 Did your bus	iness hire additional	help even tempora	ary, to work on the proje	ect? □ Yes	□ No
•	following table in refe		roject only. (Other qualifi		_
Α.	В.	C.	D.	E.	F.
Job Category	Number of New Hires	Number of New Hires that are Sec 3 Residents	% of Aggregate Number of Staff Hours or New Hires that are Sec 3 Residents	% of Total Staff Hours for Sec 3 Employees and Trainees	Number of Sec 3 Trainees
Professionals					
Technicians					
Office/Clerical					
Lead Abatement					
Carpenter RRP					
Electrician					
Other (describe)					

**Column A:** Contains various job categories. Professionals are defined as people who have special knowledge of an occupation (i.e., supervisors, architects, surveyors, planners and computer programmers).

**Column B:** Enter the total number of new hires for each category of workers identified in Column A in connection with the project. New hires refer to persons not on the contractor's payroll for employment prior to the commencement of the project identified on this Section 3 Report.

**Column C:** Enter the number of Section 3 new hires for each category of workers identified in Column A in connection with the project. New hires refer to persons not on the contractor's payroll for employment prior to the commencement of the project identified on this Section 3 Report.

Column D: Enter the percentage of the total staff hours of new hires in connection with this project.

**Column E:** Enter the percentage of the total staff hours worked for employees and trainees (including new hires) connected with this project. Include staff hours for part-time and full-time.

Column F: Enter the number of Section 3 residents that were trained in connection with this project.

#### **Contractor Pollution Occurrence Insurance Incentive Pilot Program**

INSTRUCTIONS: Contractors must complete this Contractor Pollution Occurrence Insurance Incentive Pilot Program (CPOII Pilot Program) section to receive a \$500 incentive payment to supplement Pollution Occurrence insurance premiums currently being paid by the Contractor who performed lead hazard reduction and/or abatement services funded through HUD's Lead Hazard Reduction Grant. The maximum annual award is \$2,000 per contractor. MaineHousing will calculate and remit payment directly to Contractors. Contractors who have reached the maximum benefit amount of \$2,000 during the current calendar year of the pilot program will not be eligible for an incentive payment until January 1 of the following calendar year. The CPOII Pilot Program period is February 3, 2020 through August 3, 2023.

I wish to participate in the CPOII Pilot Program. I certify the following (check all that apply):

$\hfill \square$ I wish to participate in the CPOII Pilot Program. I certify the	ne following (check all that apply):
<ul> <li>□ Project started within seven (7) days from the effective</li> <li>□ Project completed by the end date referenced on the s</li> <li>□ Units cleared on the first test.</li> <li>□ I have satisfactorily completed the necessary work to j</li> <li>□ Attached is my company's current and active Pollution</li> </ul>	justify this request.
$\hfill \square$ I do not wish to participate in the CPOII Pilot Program.	
Contractor Representative Signature	Date
Contractor Representative Name	

U	NI.	T #	
---	-----	-----	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Applicant (Owner):  CAA Rep Name:  CAA Rep Title:  CAA Rep Phone:  CAA Rep Phone:  CAA Rep Email:	DHHS	Healthy Homes	Federal Lead	State Lead (Z267)	State Lead (N261)	roject Funding:
Project Type: Single-Family Multi-Family CAA Rep Email:		CAA Rep Name:				gency (CAA):
Project Type: ☐ Single-Family ☐ Multi-Family CAA Rep Email:		CAA Rep Title:				
CAA Rep Email:		CAA Rep Phone:			П с: . г ::	Droinet Tune
Applicant (Owner):		CAA Rep Email:		☐ Multi-Family	☐ Single-Family	Project Type:
Applicant (Owner):						
Applicant (Owner).	 	oplicant:	Co-A		r):	Applicant (Owne
Property: Contractor:	 	actor:	Conti			Property:
Unit #: Inspection Date:		ction Date:	Inspe			Unit #:
RESIDENTIAL UNIT:					I LINIT:	RESIDENTIA

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. "Paint Plus" Building Component Inventory

visually change	f the b	duled Visual Inspections of Building Components uilding components listed on the "Paint Plus" Building Component Inventory Form must be
visually change surface	inspe	uilding components listed on the "Paint Plus" Building Component Inventory Form must be
F.		cted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted u must do this visual inspection to document that the condition of the paint remains intact.
	How	to do a visual inspection
When p	erforn	ning your inspection, check each building component for signs of:
	(1)	Flaking paint
	(2)	Peeling paint
	(3)	Cracking paint
	(4)	Paint chips
	(5)	Dust on window sills
	(6)	Dust on the floor
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, " <b>Essential Maintenance for a Lead-Safe Home</b> ".
G.	What	to do after your visual inspection
		ing the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
Н.	Docu	menting Essential Maintenance Practices Plan Requirements
	nat is t	forms used to record your Essential Maintenance Practice-related activities. It includes a signature obe used to document that you have read and understand the Essential Maintenance Practices nents.
I.	Form	s/Signature Sheet
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
	(2)	Paint Plus Building Component Inventory Form;
	(3)	Visual Inspection Form; and
	(4)	Essential Maintenance for a Lead-Safe Home brochure.
	l	Understanding the Requirements of the Essential Maintenance Practices Plan
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Арр	licant Si	gnature Date
	Applicar	nt Signature Date

U	NI.	T #	
---	-----	-----	--

#### **BUILDING COMPONENT INVENTORY FORM**

The following listing shows the type and location of those building components where Paint Plus Essential Maintenance Practices was used as a lead hazard control method by a lead abatement contractor to eliminate lead hazards. These are the specific building components that must be visually inspected and properly maintained to prevent lead hazards from redeveloping.

SIDENTIAL UNIT:					
Room Name	Building Component	Location in Room			

UNIT #					
V	ISUAL INSPECTI	ON FORM AND I	ESSENTIAL M	AINTENANCE RECORD	
from the initial a after the occurre	pplication of the pair ence of unexpected of these building comp	nt and annually ther events which cause	eafter, wheneve deterioration of	intenance actions conducter r occupancy changes and ir the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

## MAINE LEAD PAINT HAZARD ABATEMENT PROGRAM (State Lead) LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

# QUARTERLY REPORT: SUPPLEMENTAL INFORMATION For individual, completed units

Project Funding: Agency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes  CAA Rep Name:  CAA Rep Title:	DHHS	
Project Type:	☐ Single-Family ☐ Multi-Family			CAA Rep Title:  CAA Rep Phone:  CAA Rep Email:		
Applicant (Owne	r):		Со-Ар	plicant:		
Property:			Tenan			
Apartment/Unit	: #:			Are	children cover	red by MaineCare?
Total # of room					Yes	No
Key Dates:						
Enrollment date			Wo	rk started date		
Assessed date	Assessed date Clearance achieved date					
# of rooms trea	ited in unit:					
Areas Abated (	check all that ap	ply):				
☐ Interior			1	☐ Basement		
☐ Exterior			1	☐ Ground floor		
☐ Commo	n Area		1	☐ Upper level(s)		
☐ Crawl sp	pace			☐ Attic		
Relocation Total	al: <u>\$</u>					
Abatement Total	al: <u>\$</u>					

U	NI.	T #	
---	-----	-----	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding:	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS	
Agency (CAA):				CAA Rep Name: _		
				CAA Bon Bhono:		
Project Type:	□ Single-Family	■ Multi-Family		CAA Rep Email:		
				_		
Applicant (Ow	ner):		Co-A	pplicant:		
Property:			Cont	ractor:		
Unit #:			Inspe	ection Date:		
RESIDENTI	IAL UNIT:					

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. Elements of the Essential Maintenance Plan

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. "Paint Plus" Building Component Inventory

NIT #	
E. Sched	duled Visual Inspections of Building Components
visually inspec changes and in	tilding components listed on the "Paint Plus" Building Component Inventory Form must be sted six months from the initial application of the paint and annually thereafter, whenever occupancy mmediately after the occurrence of unexpected events which cause deterioration of the painted must do this visual inspection to document that the condition of the paint remains intact.
F. How to	o do a visual inspection
When perform	ing your inspection, check each building component for signs of:
(1)	Flaking paint
(2)	Peeling paint
(3)	Cracking paint
(4)	Paint chips
(5)	Dust on window sills
(6)	Dust on the floor
	component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the hure, "Essential Maintenance for a Lead-Safe Home".
G. What	to do after your visual inspection
	ng the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
H. <u>Docur</u>	menting Essential Maintenance Practices Plan Requirements
	orms used to record your Essential Maintenance Practice-related activities. It includes a signature be be used to document that you have read and understand the Essential Maintenance Practices ents.
I. Forms	s/Signature Sheet
(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
(2)	Paint Plus Building Component Inventory Form;
(3)	Visual Inspection Form; and
(4)	Essential Maintenance for a Lead-Safe Home brochure.
U	Inderstanding the Requirements of the Essential Maintenance Practices Plan
	read and understand the requirements of the Essential Maintenance Practices Plan, and agree to his facility in accordance with the developed Essential Maintenance Practices Plan.
Applicant Sig	nature Date

Co-Applicant Signature

Date

U	NI.	T #	
---	-----	-----	--

#### **BUILDING COMPONENT INVENTORY FORM**

The following listing shows the type and location of those building components where Paint Plus Essential Maintenance Practices was used as a lead hazard control method by a lead abatement contractor to eliminate lead hazards. These are the specific building components that must be visually inspected and properly maintained to prevent lead hazards from redeveloping.

RESIDENTIAL UNIT:						
Room Name	Building Component	Location in Room				

UNIT #					
V	ISUAL INSPECTI	ON FORM AND I	ESSENTIAL M	AINTENANCE RECORD	
from the initial ap after the occurre	oplication of the pair nce of unexpected of these building comp	nt and annually ther events which cause	reafter, whenever deterioration of	intenance actions conducted r occupancy changes and in the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

INSPECTION DATE		

## MAINE LEAD PAINT HAZARD ABATEMENT PROGRAM (State Lead) LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

# QUARTERLY REPORT: SUPPLEMENTAL INFORMATION For individual, completed units

oject Funding: gency (CAA):	State Lead (N26	1) State Lead (Z267)	Federal Lead	Healthy Homes CAA Rep Name:	DHHS	
				CAA Rep Title:		
Project Type:	☐ Single-Family	☐ Multi-Family		CAA Rep Phone:		
		·		O A A D E 11		
Applicant (Own	er):		Со-Ар	plicant:		
Property:			Tenan	t:		
			Unit #	<u> </u>		
Apartment/Uni	it #: _			Are	children covere	d by MaineCare?
Total # of room	ns in unit:				Yes	No
# of children w	vith EBLL:					
Key Dates:			14.			
Enrollment date				ork started date	<u></u>	
Assessed date			Cle	earance achieved	date	
# of rooms treat	ated in unit:					
Areas Abated	(check all that	apply):				
☐ Interior				☐ Basement		
☐ Exterior	r			☐ Ground floor		
☐ Commo	on Area			☐ Upper level(s)		
☐ Crawl s	space			☐ Attic		
Relocation To	tal:	5				
Abatement To						
Apatement 10	tal:	)				

U	NI.	T #	
---	-----	-----	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding:	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS
Agency (CAA):				CAA Rep Name:	
				CAA Rep Title:	
Drainet Tyras	По: . г ::	<b></b>		CAA Rep Phone:	
Project Type:	☐ Single-Family	☐ Multi-Family		CAA Rep Email:	
Applicant (Owne	er):		Co-Ap	oplicant:	
Property:	-		Contr	actor:	
Unit #:			Inspe	ction Date:	
RESIDENTIA	L UNIT:				

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. "Paint Plus" Building Component Inventory

JNIT #	<b>#</b>							
E.	Sche	eduled Visual Inspections of Building Components						
visua chanç	lly inspe ges and	ruilding components listed on the "Paint Plus" Building Component Inventory Form must be exted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted u must do this visual inspection to document that the condition of the paint remains intact.						
F.	F. How to do a visual inspection							
Wher	perforr	ning your inspection, check each building component for signs of:						
	(1)	Flaking paint						
	(2)	Peeling paint						
	(3)	Cracking paint						
	(4)	Paint chips						
	(5)	Dust on window sills						
	(6)	Dust on the floor						
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, "Essential Maintenance for a Lead-Safe Home".						
G.	Wha	t to do after your visual inspection						
		ting the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document edone your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.						
H.	Docu	umenting Essential Maintenance Practices Plan Requirements						
sheet		forms used to record your Essential Maintenance Practice-related activities. It includes a signature to be used to document that you have read and understand the Essential Maintenance Practices nents.						
I.	Form	ns/Signature Sheet						
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;						
	(2)	Paint Plus Building Component Inventory Form;						
	(3)	Visual Inspection Form; and						
	(4)	Essential Maintenance for a Lead-Safe Home brochure.						
		Understanding the Requirements of the Essential Maintenance Practices Plan						
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.						
Aı	oplicant S	ignature Date						

Date

Co-Applicant Signature

UNIT #	ι	JNI	Τ#		
--------	---	-----	----	--	--

#### **BUILDING COMPONENT INVENTORY FORM**

The following listing shows the type and location of those building components where Paint Plus Essential Maintenance Practices was used as a lead hazard control method by a lead abatement contractor to eliminate lead hazards. These are the specific building components that must be visually inspected and properly maintained to prevent lead hazards from redeveloping.

SIDENTIAL UNIT:					
Room Name	Building Component	Location in Room			

UNIT #					
V	ISUAL INSPECTI	ON FORM AND	ESSENTIAL M	IAINTENANCE RECORD	•
from the initial ap after the occurre	oplication of the pair nce of unexpected of these building comp	nt and annually therevents which cause	reafter, wheneve deterioration of	nintenance actions conducte or occupancy changes and in the painted surfaces. This and that the surfaces are no	mmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed
					T

## MAINE LEAD PAINT HAZARD ABATEMENT PROGRAM (State Lead) LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

# QUARTERLY REPORT: SUPPLEMENTAL INFORMATION For individual, completed units

Project Funding: Agency (CAA):	State Lead (N261) State Lead (Z267)	CAA Rep Name:	
Project Type: [	☐ Single-Family ☐ Multi-Family	CAA Rep Phone:	
Applicant (Owner)	):	Co-Applicant:	
Property:		Tenant: Unit #:	
Apartment/Unit	#: 	Are children covere	d by MaineCare?
Total # of rooms	in unit	Yes	No
# of children wit	h EBLL:		
Key Dates:			
Enrollment date		Work started date	
Assessed date		Clearance achieved date	
# of rooms treat	ed in unit:		
Areas Abated (c	heck all that apply):		
☐ Interior		☐ Basement	
☐ Exterior		☐ Ground floor	
☐ Common	Area	☐ Upper level(s)	
☐ Crawl spa	ace	☐ Attic	
Relocation Tota	l:		
Abatement Tota	l: \$		

ι	J١	۷	ΙT	#				
---	----	---	----	---	--	--	--	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding: Agency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS	
				A Rep Name:		
			CA	A Rep Title:		
Project Type:	_	_	CA	CAA Rep Phone:		
Project Type:	☐ Single-Family	☐ Multi-Family	CA	A Rep Email:		
Applicant (Owne	r):		Co-Applic	ant:		
Property:	-		Contracto	or:		
Unit #:			Inspection	n Date:		
RESIDENTIA	L UNIT:					

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. <u>"Paint Plus" Building Component Inventory</u>

Each of the visually instanges a	heduled Visual Inspections of Building Components  building components listed on the "Paint Plus" Building Component Inventory Form must be pected six months from the initial application of the paint and annually thereafter, whenever occupancy and immediately after the occurrence of unexpected events which cause deterioration of the painted
	You must do this visual inspection to document that the condition of the paint remains intact.
F. <u>Ho</u>	w to do a visual inspection
When perf	orming your inspection, check each building component for signs of:
(1)	Flaking paint
(2)	Peeling paint
(3)	Cracking paint
(4)	Paint chips
(5)	Dust on window sills
(6)	Dust on the floor
	ng component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the rochure, " <b>Essential Maintenance for a Lead-Safe Home</b> ".
G. <u>W</u>	nat to do after your visual inspection
	leting the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document we done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
H. <u>Do</u>	cumenting Essential Maintenance Practices Plan Requirements
	re forms used to record your Essential Maintenance Practice-related activities. It includes a signature is to be used to document that you have read and understand the Essential Maintenance Practices ements.
l. <u>Fo</u>	rms/Signature Sheet
(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
(2)	Paint Plus Building Component Inventory Form;
(3)	Visual Inspection Form; and
(4)	Essential Maintenance for a Lead-Safe Home brochure.
	Understanding the Requirements of the Essential Maintenance Practices Plan
	ave read and understand the requirements of the Essential Maintenance Practices Plan, and agree to in this facility in accordance with the developed Essential Maintenance Practices Plan.
<del> </del>	t Signature Date

Co-Applicant Signature

Date

#### **BUILDING COMPONENT INVENTORY FORM**

The following listing shows the type and location of those building components where Paint Plus Essential Maintenance Practices was used as a lead hazard control method by a lead abatement contractor to eliminate lead hazards. These are the specific building components that must be visually inspected and properly maintained to prevent lead hazards from redeveloping.

SIDENTIAL UNIT:				
Room Name	Building Component	Location in Room		

UNIT #	
	VISUAL INSPECTION FORM AND ESSENTIAL MAINTENANCE RECORD
from the in after the or	s used to document your visual inspections and essential maintenance actions conducted six months itial application of the paint and annually thereafter, whenever occupancy changes and immediately courrence of unexpected events which cause deterioration of the painted surfaces. This helps ensure int on these building components remains in good condition and that the surfaces are not creating lead

	Building	Location in	Changed Noted		Date Maintenance
Room Name	Component	Room	Noted	Maintenance Needed	Completed

INSPECTION DATE	

**RESIDENTIAL UNIT:** 

## MAINE LEAD PAINT HAZARD ABATEMENT PROGRAM (State Lead) LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

# QUARTERLY REPORT: SUPPLEMENTAL INFORMATION For individual, completed units

Project Funding: Agency (CAA):	State Lead (N261) State Lead (Z267)	Federal Lead Healthy Homes  CAA Rep Name:  CAA Rep Title:	DHHS	
Project Type:	☐ Single-Family ☐ Multi-Family	CAA Rep Phone: CAA Rep Email:		
Applicant (Owne	r):	Co-Applicant:		
Property:		Tenant: Unit #:		
Apartment/Unit	<b>#:</b>	Are	e children cover	ed by MaineCare?
Total # of room	s in unit:		Yes	No
# of children wi	ith EBLL:			
Key Dates:				
Enrollment date		Work started date		
Assessed date		Clearance achieved	date	
# of rooms trea	ted in unit:			
Areas Abated (	check all that apply):			
☐ Interior		☐ Basement		
☐ Exterior		☐ Ground floor		
☐ Commor	n Area	☐ Upper level(s)		
☐ Crawl sp	pace	☐ Attic		
Relocation Tota	al: <u>\$</u>			
Abatement Tota	al: <u></u> \$			

UNIT #	ι	J١	١I	Т	#			
--------	---	----	----	---	---	--	--	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding: Agency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead CAA R	Healthy Homes	DHHS
				Rep Title:	
Project Type:	☐ Single-Family	☐ Multi-Family		Rep Phone:  Rep Email:	
Applicant (Owne	er):		Co-Appli	cant:	
Property:			Contract	or:	
Unit #:			Inspection	on Date:	
RESIDENTIA	L UNIT:				

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. "Paint Plus" Building Component Inventory

JNIT #	#	
E.	Sche	duled Visual Inspections of Building Components
visual chang	lly inspe ges and	uilding components listed on the "Paint Plus" Building Component Inventory Form must be cted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted u must do this visual inspection to document that the condition of the paint remains intact.
F.	How	to do a visual inspection
Wher	n perforn	ning your inspection, check each building component for signs of:
	(1)	Flaking paint
	(2)	Peeling paint
	(3)	Cracking paint
	(4)	Paint chips
	(5)	Dust on window sills
	(6)	Dust on the floor
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, " <b>Essential Maintenance for a Lead-Safe Home</b> ".
G.	What	to do after your visual inspection
		ing the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
Н.	Docu	menting Essential Maintenance Practices Plan Requirements
sheet		forms used to record your Essential Maintenance Practice-related activities. It includes a signature obe used to document that you have read and understand the Essential Maintenance Practices nents.
I.	Form	s/Signature Sheet
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
	(2)	Paint Plus Building Component Inventory Form;
	(3)	Visual Inspection Form; and
	(4)	Essential Maintenance for a Lead-Safe Home brochure.
		Understanding the Requirements of the Essential Maintenance Practices Plan
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Ap	pplicant S	gnature Date
	o-Applicar	nt Signature Date

UNIT	#
------	---

#### **BUILDING COMPONENT INVENTORY FORM**

The following listing shows the type and location of those building components where Paint Plus Essential Maintenance Practices was used as a lead hazard control method by a lead abatement contractor to eliminate lead hazards. These are the specific building components that must be visually inspected and properly maintained to prevent lead hazards from redeveloping.

RESIDENTIAL UNIT:					
Room Name	Building Component	Location in Room			

UNIT #					
V	ISUAL INSPECT	ON FORM AND	ESSENTIAL M	AINTENANCE RECORD	
from the initial a after the occurre	pplication of the pair ence of unexpected these building com	nt and annually the events which cause	reafter, wheneve e deterioration of	nintenance actions conducted or occupancy changes and in the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

INSPECTION DATE	

## MAINE LEAD PAINT HAZARD ABATEMENT PROGRAM (State Lead) LEAD HAZARD REDUCTION GRANT PROGRAM (Federal Lead)

# QUARTERLY REPORT: SUPPLEMENTAL INFORMATION For individual, completed units

roject Funding: Agency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes CAA Rep Name:	DHHS	
				CAA Rep Title:		
Project Type:	☐ Single-Family	☐ Multi-Family		CAA Rep Phone:		
				CAA Rep Email:		
Applicant (Owne	er):		Co-A <sub>l</sub>	oplicant:		
Property:			Tenar	nt:		
			Unit #	<u> </u>		
				A	al-Halman annan	l has Mains Oams O
Apartment/Uni				Are	children covered	-
Total # of roon	ns in unit:				Yes	No
# of children w	vith EBLL:					
Key Dates:						
Enrollment date	)		W	ork started date		
Assessed date				earance achieve		
# of rooms trea	ated in unit:					
Areas Abated	(check all that ap	oply):				
☐ Interior				☐ Basement		
☐ Exterior	•			☐ Ground floor		
☐ Commo	on Area			☐ Upper level(s	s)	
☐ Crawl s	pace			☐ Attic		
Relocation Tot	tal: \$					
Abatement Tot	tal: \$					
Abatement 10	ιαι. <u>Φ</u>					

UNIT #	ι	J١	۱ľ	Τ	#			
--------	---	----	----	---	---	--	--	--

#### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Agency (CAA):					
	-			CAA Rep Name:	
	-			CAA Rep Title: —	
Project Type:	Single-Family	☐ Multi-Family		CAA Rep Phone: —	
		·		CAA Rep Email:	
Applicant (Owner):			Со-Ар	plicant:	
Property:			Contra	ector:	
Unit #:			Inspec	tion Date:	
RESIDENTIAL U	JNIT:				

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

#### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

#### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

#### D. "Paint Plus" Building Component Inventory

visually change	of the by inspects and	duled Visual Inspections of Building Components  uilding components listed on the "Paint Plus" Building Component Inventory Form must be cted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted
		u must do this visual inspection to document that the condition of the paint remains intact.
F.	,	to do a visual inspection
When p	perforn	ning your inspection, check each building component for signs of:
	(1)	Flaking paint
	(2)	Peeling paint
	(3)	Cracking paint
	(4)	Paint chips
	(5)	Dust on window sills
	(6)	Dust on the floor
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, " <b>Essential Maintenance for a Lead-Safe Home</b> ".
G.	What	to do after your visual inspection
		ing the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
Н.	Docu	menting Essential Maintenance Practices Plan Requirements
	hat is t	forms used to record your Essential Maintenance Practice-related activities. It includes a signature obe used to document that you have read and understand the Essential Maintenance Practices nents.
I.	Form	s/Signature Sheet
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
	(2)	Paint Plus Building Component Inventory Form;
	(3)	Visual Inspection Form; and
	(4)	Essential Maintenance for a Lead-Safe Home brochure.
		Understanding the Requirements of the Essential Maintenance Practices Plan
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Λnn	olicant S	onature Date

Co-Applicant Signature

Date

U	NI.	T #	
---	-----	-----	--

ESIDENTIAL UNIT:					
Room Name	Building Component	Location in Room			

UNIT#					
V	ISUAL INSPECTION	ON FORM AND	ESSENTIAL M	IAINTENANCE RECORD	)
from the initial a after the occurre	pplication of the pain ence of unexpected e these building comp	it and annually ther events which cause	eafter, wheneve deterioration of	aintenance actions conducte er occupancy changes and ir the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenand Completed

Project Funding: Agency (CAA):	State Lead (N26	1) State Lead (Z267)	Federal Lead	Healthy Homes CAA Rep Name:	DHHS	
				CAA Rep Title:		
Project Type:	☐ Single-Family	☐ Multi-Family		CAA Rep Phone:		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	- Chilgie i anniy	La Maia Falliny		CAA Rep Email:		
Applicant (Own	er):		Co-Ap	plicant:		
Property:			Tenan	t:		
			Unit #	:		
Apartment/Un	it #:			Are	children covered	by MaineCare?
Total # of roor	ms in unit:				Yes	No
# of children v	vith EBLL:					
Key Dates:						
Enrollment date	e		Wo	ork started date		
Assessed date			Cle	earance achieved	date	
# of rooms tre	ated in unit:					
Areas Abated	(check all that	apply):				
☐ Interior				☐ Basement		
☐ Exterio	r			☐ Ground floor		
☐ Commo	on Area			☐ Upper level(s)		
☐ Crawl s	space			☐ Attic		
Relocation To	tal: <u>\$</u>					
Abatement To	tal: <u>\$</u>					

ι	J١	۷	ΙT	#				
---	----	---	----	---	--	--	--	--

### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding: Agency (CAA):	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS	
igonoy (ortri).				CAA Rep Name:		
Project Type:	☐ Single-Family	■ Multi-Family				
				CAA Rep Email:		
Applicant (Owne	er):		Co-Ap	plicant:		
Property:			Contra	actor:		
Unit #:		Inspection Date:				
RESIDENTIA	L UNIT:					

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

### C. Elements of the Essential Maintenance Plan

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

### D. "Paint Plus" Building Component Inventory

JNIT #	<u> </u>	
E.	<u>Sche</u>	duled Visual Inspections of Building Components
visual chang	ly inspe es and	uilding components listed on the "Paint Plus" Building Component Inventory Form must be cted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted u must do this visual inspection to document that the condition of the paint remains intact.
F.	How	to do a visual inspection
When	perforn	ning your inspection, check each building component for signs of:
	(1)	Flaking paint
	(2)	Peeling paint
	(3)	Cracking paint
	(4)	Paint chips
	(5)	Dust on window sills
	(6)	Dust on the floor
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, "Essential Maintenance for a Lead-Safe Home".
G.	What	to do after your visual inspection
		ing the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
Н.	Docu	menting Essential Maintenance Practices Plan Requirements
sheet		forms used to record your Essential Maintenance Practice-related activities. It includes a signature obe used to document that you have read and understand the Essential Maintenance Practices nents.
I.	Form	ns/Signature Sheet
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
	(2)	Paint Plus Building Component Inventory Form;
	(3)	Visual Inspection Form; and
	(4)	Essential Maintenance for a Lead-Safe Home brochure.
		Understanding the Requirements of the Essential Maintenance Practices Plan
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Ap	plicant Si	gnature Date

UNIT	#
------	---

Room Name	Building Component	Location in Room
	<u> </u>	

UNIT #					
V	ISUAL INSPECTI	ON FORM AND I	ESSENTIAL M	AINTENANCE RECORD	
from the initial ap	oplication of the pair nce of unexpected of these building comp	nt and annually ther events which cause	eafter, wheneve deterioration of	intenance actions conducted or occupancy changes and in the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

Project Funding: Agency (CAA):	State Lead (N261) State Lead (Z267)	Federal Lead Healthy Homes DHHS		
Agency (OAA).		CAA Rep Name: CAA Rep Title:		
Businest Towns		CAA Rep Phone:		
Project Type: Si	ngle-Family	CAA Ren Email:		
Applicant (Owner):		Co-Applicant:		
Property:		Tenant:		
		Unit #:		
Apartment/Unit #:		Are Children covere	d by MaineCare?	
Total # of rooms in	unit:	Yes	No	
# of children with E	BLL:			
Key Dates:				
Enrollment date		Work started date		
Assessed date		Clearance achieved date		
# of rooms treated	in unit:			
Areas Abated (che	ck all that apply):			
☐ Interior		☐ Basement		
☐ Exterior		☐ Ground floor		
☐ Common Ar	ea	☐ Upper level(s)		
☐ Crawl space		☐ Attic		
Relocation Total:	\$			
Abatement Total:	\$			

UNIT #	ι	J١	۱ľ	Τ	#			
--------	---	----	----	---	---	--	--	--

### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding:	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS
Agency (CAA):				CAA Rep Name:	
				CAA Rep Title:	
Project Type:				CAA Rep Phone:	
Froject Type	Single-Family	☐ Multi-Family		CAA Rep Email:	
Applicant (Owner)	·		Со-Арр	olicant:	
Property:			Contra	ctor:	
Unit #:			Inspec	tion Date:	
RESIDENTIAL	UNIT:				

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

### D. "Paint Plus" Building Component Inventory

Each of the visually instanges a	heduled Visual Inspections of Building Components  building components listed on the "Paint Plus" Building Component Inventory Form must be pected six months from the initial application of the paint and annually thereafter, whenever occupancy and immediately after the occurrence of unexpected events which cause deterioration of the painted
	You must do this visual inspection to document that the condition of the paint remains intact.
F. <u>Ho</u>	w to do a visual inspection
When perf	orming your inspection, check each building component for signs of:
(1)	Flaking paint
(2)	Peeling paint
(3)	Cracking paint
(4)	Paint chips
(5)	Dust on window sills
(6)	Dust on the floor
	ng component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the rochure, " <b>Essential Maintenance for a Lead-Safe Home</b> ".
G. <u>W</u>	nat to do after your visual inspection
	leting the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document we done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
H. <u>Do</u>	cumenting Essential Maintenance Practices Plan Requirements
	re forms used to record your Essential Maintenance Practice-related activities. It includes a signature is to be used to document that you have read and understand the Essential Maintenance Practices ements.
l. <u>Fo</u>	rms/Signature Sheet
(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
(2)	Paint Plus Building Component Inventory Form;
(3)	Visual Inspection Form; and
(4)	Essential Maintenance for a Lead-Safe Home brochure.
	Understanding the Requirements of the Essential Maintenance Practices Plan
	ave read and understand the requirements of the Essential Maintenance Practices Plan, and agree to in this facility in accordance with the developed Essential Maintenance Practices Plan.
<del> </del>	t Signature Date

Room Name	Building Component	Location in Room

UNIT #					
V	ISUAL INSPECTI	ON FORM AND E	ESSENTIAL M	AINTENANCE RECORD	
from the initial apafter the occurre	pplication of the pair ince of unexpected of these building comp	nt and annually ther events which cause	eafter, wheneve deterioration of	intenance actions conducted or occupancy changes and in the painted surfaces. This and that the surfaces are no	nmediately helps ensure
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

Project Funding: Agency (CAA):	State Lead (N261) State Lead (Z267)	CAA Rep Tit	me:	
Project Type: □		CAA Rep Ph	one:	
Applicant (Owner):		Co-Applicant:		
Property:		Tenant: Unit #:		
Apartment/Unit #			Are children covered	by MaineCare?
Total # of rooms i			Yes	No
# of children with	EBLL:			
Key Dates:				
Enrollment date		Work started d	ate	
Assessed date		Clearance ach	ieved date	
# of rooms treated	d in unit:			
Areas Abated (ch	eck all that apply):			
☐ Interior		☐ Basemer	nt	
☐ Exterior		☐ Ground f	loor	
☐ Common A	rea	☐ Upper lev	vel(s)	
☐ Crawl spac	е	☐ Attic		
Relocation Total:	\$			
Abatement Total:	\$			

UNIT	#
------	---

### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding:	State Lead (N261) State Lead (Z267)		Federal Lead	Healthy Homes	DHHS	
Agency (CAA):				CAA Rep Name:		
				CAA Rep Title:  CAA Rep Phone:  CAA Rep Email:		
Project Type:	☐ Single-Family	amily  Multi-Family				
r roject rype.	<b>—</b> Gingle Family					
Applicant (Owne	er):		Со-Ар	plicant:		
Property:			Contra	ctor:		
Unit #:			Inspec	tion Date:		
RESIDENTIA	L UNIT:					

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

### D. "Paint Plus" Building Component Inventory

JNIT #	
E. Sche	eduled Visual Inspections of Building Components
visually inspectanges and	building components listed on the "Paint Plus" Building Component Inventory Form must be exted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted ou must do this visual inspection to document that the condition of the paint remains intact.
F. <u>How</u>	to do a visual inspection
When perform	ming your inspection, check each building component for signs of:
(1)	Flaking paint
(2)	Peeling paint
(3)	Cracking paint
(4)	Paint chips
(5)	Dust on window sills
(6)	Dust on the floor
	g component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, "Essential Maintenance for a Lead-Safe Home".
G. Wha	t to do after your visual inspection
	ting the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document e done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
H. <u>Doci</u>	umenting Essential Maintenance Practices Plan Requirements
	forms used to record your Essential Maintenance Practice-related activities. It includes a signature to be used to document that you have read and understand the Essential Maintenance Practices nents.
I. Forn	ns/Signature Sheet
(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
(2)	Paint Plus Building Component Inventory Form;
(3)	Visual Inspection Form; and
(4)	Essential Maintenance for a Lead-Safe Home brochure.
	Understanding the Requirements of the Essential Maintenance Practices Plan
	e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Applicant S	Date Date

Room Name	Building Component	Location in Room				

UNIT #							
V	ISUAL INSPECTI	ON FORM AND E	ESSENTIAL M	AINTENANCE RECORD			
from the initial apafter the occurre	pplication of the pair ince of unexpected of these building comp	nt and annually ther events which cause	eafter, wheneve deterioration of	intenance actions conducted or occupancy changes and in the painted surfaces. This land that the surfaces are not	nmediately helps ensure		
Building Location in Changed Maintenance Needed Component Room Noted Maintenance Needed Component Changed							

Project Funding: Agency (CAA):	State Lead (N261) State Lead (Z267)	Federal Lead Healthy Homes DHHS  CAA Rep Name:	
		CAA Rep Title:	
Project Type:	Single-Family	CAA Rep Phone:	
		CAA Rep Email:	
Applicant (Owner):		Co-Applicant:	
Property:		Tenant:	
		Unit #:	
Apartment/Unit #		Are children cove	red by MaineCare?
Total # of rooms in	n unit:	Yes	No
# of children with	EBLL:		
Key Dates:			
Enrollment date		Work started date	
Assessed date		Clearance achieved date	
# of rooms treated	I in unit:		
Areas Abated (che	eck all that apply):		
☐ Interior		☐ Basement	
☐ Exterior		☐ Ground floor	
☐ Common A	rea	☐ Upper level(s)	
☐ Crawl space	е	☐ Attic	
Relocation Total:	\$		
Abatement Total:	\$		

U	NI.	T #	
---	-----	-----	--

### LEAD PAINT PLUS ESSENTIAL MAINTENANCE PLAN

Project Funding:	State Lead (N261)	State Lead (Z267)	Federal Lead	Healthy Homes	DHHS
Agency (CAA):				CAA Rep Name:	
				CAA Rep Title:	
Drainet Turner	1 0'- de Femilie - F	Taxane manage		CAA Rep Phone:	
Project Type:	J Single-Family L	Multi-Family		CAA Rep Email:	
				_	
Applicant (Owner)	:		Со-Ар	plicant:	
Property:			Contra	ctor:	
Unit #:			Inspec	tion Date:	
RESIDENTIAL	UNIT:				

#### A. <u>Overview</u>

Paint Plus Essential Maintenance Plan ("Paint Plus") is an interim (short-term) method used by lead contractors and property owners to temporarily eliminate lead hazards. Interim controls are achieved through the removal of any chipping, cracking, and flaking paint plus the application of a new protective coating of paint in conjunction with the implementation of a written essential maintenance plan. This method cannot be used on impact or friction surfaces (e.g. floors, stair treads/risers, thresh holds, window sashes, parting beads, stops, window wells, doorjambs and edges).

### B. <u>Essential Maintenance Plan</u>

An Essential Maintenance Plan is a written and implemented plan of paint inspection and maintenance that ensures that the paint remains in good condition and that the surface is not creating a lead hazard. The building owner must carry out Essential Maintenance Practices six months from the initial application of the paint and annually thereafter, whenever occupancy changes and immediately after the occurrence of unexpected events which cause deterioration of the painted surfaces.

Enclosed you will find an inventory of the building components that you will need to inspect and several forms that will assist you in documenting your Essential Maintenance Plan-related activities. Also enclosed you will find the "Essential Maintenance for a Lead-Safe Home" brochure. Please make sure you read this brochure; it provides information you need to implement Essential Maintenance Practices.

### C. <u>Elements of the Essential Maintenance Plan</u>

The Essential Maintenance Plan has 4 parts: an inventory of painted surfaces that need routine inspection and maintenance; a schedule and protocol for routine visual inspections; forms for documenting routine inspections and essential maintenance performed; and the booklet "Essential Maintenance for a Lead-Safe Home" that describes how to perform essential maintenance.

### D. "Paint Plus" Building Component Inventory

JNIT #	!	
E.	<u>Sche</u>	duled Visual Inspections of Building Components
visual chang	ly inspe es and	uilding components listed on the "Paint Plus" Building Component Inventory Form must be cted six months from the initial application of the paint and annually thereafter, whenever occupancy immediately after the occurrence of unexpected events which cause deterioration of the painted u must do this visual inspection to document that the condition of the paint remains intact.
F.	How	to do a visual inspection
When	perforn	ning your inspection, check each building component for signs of:
	(1)	Flaking paint
	(2)	Peeling paint
	(3)	Cracking paint
	(4)	Paint chips
	(5)	Dust on window sills
	(6)	Dust on the floor
		component is damaged and/or needs repair, follow the <b>Safe Work Practices</b> referred to in the chure, "Essential Maintenance for a Lead-Safe Home".
G.	What	to do after your visual inspection
		ing the routine visual inspection, fill in the enclosed form, "Visual Inspection Form" to document done your visual inspection(s). Save this form with your Essential Maintenance Practices Plan.
Н.	Docu	menting Essential Maintenance Practices Plan Requirements
sheet		forms used to record your Essential Maintenance Practice-related activities. It includes a signature o be used to document that you have read and understand the Essential Maintenance Practices nents.
I.	Form	ns/Signature Sheet
	(1)	Understanding the Requirements of the Essential Maintenance Practices Plan Signature Sheet;
	(2)	Paint Plus Building Component Inventory Form;
	(3)	Visual Inspection Form; and
	(4)	Essential Maintenance for a Lead-Safe Home brochure.
		Understanding the Requirements of the Essential Maintenance Practices Plan
		e read and understand the requirements of the Essential Maintenance Practices Plan, and agree to this facility in accordance with the developed Essential Maintenance Practices Plan.
Ap	plicant Si	ignature Date

UNIT	#
------	---

Room Name	Building Component	Location in Room

UNIT #					
V	ISUAL INSPECTION	ON FORM AND E	ESSENTIAL M	AINTENANCE RECORD	
from the initial ap after the occurre	oplication of the pain nce of unexpected e these building comp	it and annually ther events which cause	eafter, wheneve deterioration of	intenance actions conducted or occupancy changes and in the painted surfaces. This and that the surfaces are no	nmediately helps ensure t creating lead
Room Name	Building Component	Location in Room	Changed Noted	Maintenance Needed	Date Maintenance Completed

Page 61 of 62

Essential Maintenance Plan Lead 03/18/2025

**INSPECTION DATE** 

Prepared by MaineHousing

Project Funding: Agency (CAA):	State Lead (N26		Federal Lead	Healthy Homes CAA Rep Name:	DHHS	
				CAA Rep Title:		
Project Type:	☐ Single-Family	☐ Multi-Family		CAA Rep Phone:		
7,		,				
Applicant (Owner)	):		Со-Ар	plicant:		
Property:			Tenan	t:		
			Unit #	<u> </u>		
Apartment/Unit	#: _			Are	children covere	d by MaineCare?
Total # of rooms	s in unit:				Yes	No
# of children wit	th EBLL:					
Key Dates:						
Enrollment date			Wo	ork started date		
Assessed date				earance achieved		
# of rooms treat	ed in unit:					
Areas Abated (c	heck all that a	apply):				
☐ Interior				□ Basement		
☐ Exterior				☐ Ground floor		
☐ Common	Area			☐ Upper level(s)	)	
☐ Crawl spa	ace			☐ Attic		
Relocation Tota	I: \$					
Abatement Tota						
ADALEITIETTI 10ta	ı. <u> </u>					